

## Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

X6600

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

The time limit for correction of each violation is specified in the narrative portion of this report.						
Establishme		:	Telephone Number	Date of In (mm/dd/y		PERMIT#
Penn Station			B12 141 7600	7/24/		19-224
		s (number and street, city, state, zip code)		14 271	201 1	•
2154 5 Owner	State St	. Au Albay, 1- 47150	Purpose:	Follow-up Release Date		
Gregg	Vissi	AQ	1. Routine	YES TODAY		
Owner's Ac	ddress		2. Follow-up	Summary of Violations:		
4317	Charl	estorn Rd. New Albay, IN 47150	3. Complaint			
Person in C	harge		4. Pre-Operational	C_Z NC_8 R_		
Steffer Responsible			5. Temporary	Menu Type (See back of page)		
Kesponsion	. I CISON SI	e-man	6. НАССР	incina Type (isee back of page)		
Certified Fo	ood Manag	er / . /	7. Other (list)	12	3 <b>X</b>	45
Steffon	Johnson	·n (6/25/24)				· · · · · · · · · · · · · · · · · · ·
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"						
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"						
Section#	C/NC	R Narrative		To Be Corrected By		
438	C	Observe chuical sprogers missing common name lakel			Corrected	
443	C	Measured sanitizer at 500 + ppm (target 150-200/ppm)			Corrected	
/ 74	NC	Observed book spice bin lacking common now laked Corrected				cehd
218	NC	Observed wrap studion cooker have to be broken / Month				uth
243	NC	Observed scoop without handle left in bulk spice bin Corrected				akd
245	NC	Observed savilieur rags allowed & day/artside of savilieur solution Corrected				ekd
310	NC	Object ceiling vents over 3-comp	dishes to be desty	Today		
346	NC	Observed BOH hand sink nithert	handsomp		Corri	ckd
413	NC	Objected 1/2" herizanted/better door	my at BOH enti	ance	Im	mth
297	NC	Observed build-up around labely sada	<i>y</i> , , , , , , , , , , , , , , , , , , ,	•	Toda	
						<i>)</i>
					**.	
		•			·	
						<del></del>
			·			
					:	
Received by (name and title printed):  Inspected by (name and title printed):						
Steff on John Son Seneral Manager A-1. Ingram (EHS)						
Received by	(signature)	1.	Inspected by (signature):	<del></del>		
	18/			_ay		
cc:	7	cc;		ec:		
I				1		